AMENDMENTS TO THE CLAIMS

WHAT IS CLAIMED IS:

 (Currently Amended) <u>A catalyst</u> [Catalyst] composition represented by the general formula_REVO/S_wherein;

RE is at least one of the group of rare earth metals Y, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Er and Yb in an amount of up to 6.0 wt.-%;

V is vanadium in an amount of 0.2-2.5 wt.-%;

O is oxygen in an amount of up to 3.5 wt.-%; and

S is a support containing TiO_2 in an amount of at least 70 wt.-%, WO_3 in an amount of 5-20 wt.-%, with the rest being WO_3 and optionally SiO_2 in an amount of up to 15 wt.-%.

- (Currently Amended) <u>The catalyst Catalyst composition according to claim 1,</u> characterized in that RE is at least one of the group of Pr, Sm, Gd, Tb, Dy and Er and particularly one of the group of Sm, Gd, Tb, Dy and Er.
- (Currently Amended) <u>The catalyst Catalyst</u> composition according to claim 2, characterized in that RE is at least one of Er and Tb.

- (Currently Amended) The catalyst Catalyst composition according to claim 1 any
 of claims 1-3, characterized in that S contains SiO₂ in an amount [[or]] of 4-12 wt.-%,
 particularly in an amount of 5-10 wt.-%.
- (Currently Amended) <u>A process</u> Process for the preparation of a catalyst composition, comprising:

contacting eharacterized in that a solid support containing TiO₂ in an amount of at least 70 wt.-%, WO₃ in an amount of 5-20 wt.-%, and optionally SiO₂ in an amount of up to 15 wt.-%, is contacted with an aqueous solution containing a vanadium salt and a salt of at least one rare earth metal selected from the group of Y, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Er and Yb to give a slurry which is brought to dryness and calcined.

 (Currently Amended) <u>A process</u> Process for the preparation of a catalyst composition, comprising;

contacting eharacterized in that a solid support containing TiO₂ in an amount of at least 70 wt.-%, WO₃ in an amount of 5-20 wt.-%, and optionally SiO₂ in an amount of up to 15 wt.-%, is contacted with a vanadium salt and a hydroxide of at least one rare earth metal selected from the group of Y, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Er and Yb to give a slurry which is brought to dryness and calcined.

 (Currently Amended) A process Process for the preparation of a catalyst composition, comprising: contacting eharacterized in that a solid support containing TiO₂ in an amount of at least 70 wt.-%, WO₃ in an amount of 5-20 wt.-%, and optionally SiO₂ in an amount of up to 15 wt.-%, is-contacted with a vanadate (REVO4) of at least one rare earth metal selected from the group of Y, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Er and Yb to give a slurry which is brought to dryness and calcined.

- (Currently Amended) <u>A process</u> <u>Process</u> according to claim 5, characterized in that the rare earth metal is at least one of the group of Pr, Sm, Gd, Tb, Dy and Er and particularly one of the group of Sm, Gd, Tb, Dy and Er.
- (Currently Amended) A process Process according to claim 6, characterized in
 that the rare earth metal is at least one of Th and Fr.
- (Currently Amended) <u>A catalyst</u> Catalyst composition obtainable according to the process of claim 5 a process of one of the claims 5 to 9.
- (Currently Amended) <u>A catalyst Catalyst</u> composition according to claim 10, containing:

said rare earth metal in an amount of up to 6.0 wt.-%; vanadium in an amount of up to 2.5 wt.-%; oxygen in an amount of up to 3.5 wt.-%; TiO₂ in an amount of at least 65 wt.-%; WO₃ in an amount of up to 20 wt.-%; and

optionally SiO2 in an amount of up to 15 wt.-%.

- (New) The catalyst composition according to claim 2, characterized in that S contains SiO₂ in an amount of 4-12 wt.-%, particularly in an amount of 5-10 wt.-%.
- (New) The catalyst composition according to claim 3, characterized in that S contains SiO₂ in an amount of 4-12 wt.-%, particularly in an amount of 5-10 wt.-%.
 - 14. (New) A catalyst composition obtainable according to the process of claim 6.
 - 15. (New) A catalyst composition obtainable according to the process of claim 7.
 - 16. (New) A catalyst composition obtainable according to the process of claim 8.
 - 17. (New) A catalyst composition obtainable according to the process of claim 9.